DUVILAX® KA-22 N

Properties

Copolymer dispersion on the vinyl acetate – acrylate base in the aqueous environment. The emulsion system consists of a non-ionic emulsifier and polyvinyl alcohol as a protective colloid. It is biodegradable.

Application

Duvilax KA-22N is a special adhesive, which is used for sticking absorptive and non-absorptive materials mutually. It is mostly used for sticking paper etiquettes on covers made of non-absorptive materials and where the technology of sticking needs paste consistency, high adhesive effect and long-lasting joint. It is also used for glueing textile or artificial leather in upholstering in furniture making. Its consistency should be original and it must not be diluted or otherwise treated.

Parameters

appearance	viscous paste of white colour
dry matter content	min. 50,0 %
viscosity	30 000 – 60 000 mPa.s (Rheotest) 50 000 –150 000 mPa.s (Brookfield RVT, ISO 2555)
рН	4 - 6
min. film forming temperature	5 °C
film properties	transparent, flexible and sticky
working temperature	min. 15 °C

Storage

Duvilax KA-22 N is stored in the original, undamaged and closed packages, at the temperature ranging from 5°C to 40 °C. It must not be exposed to direct sunlight.

Packaging

plastic packages: 30kg keg, 125kg; steel barrel 200kg, 220kg.

Warranty

6 months from the date of production if storage conditions are observed.

Updated: 05/2017

This technical data sheet cancels all previous versions and replaces them. Information contained therein are not binding and are only of an informative and general character. They are based on our own experience, research and objective testing. The product meets the above specifications only during the warranty period and under the conditions in this data sheet. The company Duslo, Inc. does not guarantee the suitability of the product for a particular purpose. Use of the product for a specific purpose, including suitability for a particular purpose and methods of its use, is the customer obliged to test in specific technology conditions. Information relating to health and safety at work are provided in the Material Safety Data Sheet. More product information, details and contacts are available on www.duslo.sk.Written and / or oral advice, relating to a product, has the character of a non-binding recommendation.



Duslo, a.s. Administratívna budova ev. č. 1236 927 03 Šaľa Slovenská republika TEL. +421 31 775 2266 +421 31 775 3064 +421 31 775 4391

E-MAIL WEB

duvilax@duslo.sk www.duslo.sk www.duvilax.sk